

# GA 401 General Purpose - Clear Hot Melt Glue Sticks

## **Description:**

GA 401 is a formed, thermoplastic, hot melt adhesive especially formulated for general purpose applications through standard glue guns. GA 401 has good resistance to heat aging and will bond with a wide variety of substrates including cardboard, fabric, wood, light metal and some plastics.

#### Typical Properties:

5000 cPs @ 180°C Viscosity: Translucent/Clear Sticks Appearance:

11.3mm diameter, 300mm length. Dimensions:

Open time: 30 Sec. 18 Sec. Set time: 82 ± 5°C Softening Point: 150 - 170°C Operating Temp:

Shelf Life: 2 years minimum.

Pack size: 5 Kg.(approximately 167 sticks)

Keep out of reach of children.

## Surface Preparation:

Surfaces to be bonded should be clean, dry and free from dust, dirt and any other material that may interfere with the adhesion of the coating.

### Application:

For use with glue guns. Refer to the FL-277AA Glue stick gun for ideal application.

#### FDA Status:

GA 401 Adhesive formulation complies with FDA Food Grade 21 CFR 175.105 - Adhesives.

For First Aid, Fire, Storage, Disposal, Transport and all other relevant information, Refer to SDS sheets.

The representations and recommendations regarding the products are based on tests which we believe to be reliable. However, no quarantee of their accuracy can be made because of the great range of field conditions substrates and variations encountered in raw materials, manufacturing equipment and methods. Thus, the products are sold with a limited warranty only, and on the condition that purchasers will make their own tests to determine the suitability of the product for their particular purposes. Under no circumstances will DGL Bondlast be liable to anyone except for replacement of the products or refund of the purchase price. All sales are expressly limited to terms and conditions of sale.

#### **DGL Bondlast**

New Zealand

DGL Manufacturing NZ

Email: sales.bondlast@dglgroup.com

Phone: (09) 267 2772 Website: www.bondlast.co.nz





East Tamaki Auckland 2013 New Zealand

24-28 Lady Ruby Drive